

Repair or Resheet?

short guide for the formwork maintenance professional

Concrete surface is a delicate matter and measured very individually. Following pictorial is in our opinion suitable for most forms, even when used for exposed concrete walls.

Some of our clients have even lowered the maximum amount of repairs allowed per panel and square meter or 10 square feet, to avoid any discussions with architects...

As a general rule, we recommend to NOT put more than 4 plugs per square meter / 10 square Foot. And NOT more than 10 plugs per Panel. If the panel is less than 1 sqm / 10sqft, then the maximum is obviously less than 4 plugs per panel...*

We presume you know how to use our repair system. Badly set repair plugs are never accepted. You can always watch our tutorial videos on youtube: http://www.youtube.com/emplicaswitzerland


And there is another recommendation:

Please do not repair formwork that you have rented, unless you have clear instructions to do so by the owner of the formwork.*

Repairing rented formwork often results in quarrel.

^{*} We do not accept any liabilities resulting from the use this guide.

Up to 10 damages / repairs per Panel are ok.



More than 10 damages / repairs per Panel are NOT ok.




NOT OK



emplica

(c) emplica ag 2013


Up to 4 damages / repairs per 1 qm / 10 sqft are ok.




More than 4 damages / repairs per 1 qm / 10 sqft = resheet.

8 damages per 1qm /10 sqft = resheet

NOT OK





(c) emplica ag 2013

We presume you know how to use our repair system. Badly set repair plugs are never acceptable. You can always watch our tutorial videos on youtube: http://www.youtube.com/emplicaswitzerland.

In case you dont have our system yet, please contact us for your personal offer:

Mail: zurich@emplica.com

Tel: +41 76 383 35 22

Fax: +41 44 508 10 34